

Fepic®





D.NO.64001




D.NO.63002






D.NO.63004






C-1008



QR





Fepic



D.NO.452 A

Fepic®



Fepic®



F

3004



Fepic®



B

3004



D.NO.0054 B

Fepic



3005

Fepic

D.No.2005



D.NO.202

Fepic



D.No.2001









D.NO.29004





D.NO.204



Fepic®



D

3004



D.NO.0054 A



Fepic

D.No.2004



D.NO.32002



D.NO.201



D.NO.41001



D.NO.54001






D.NO.37006



D.NO.32001



GARMENT DETAILS:-

DIGITALLY PRINTED LAWN TOP - 2.50 MTR

DYED PANT SEMILAWN - 2.50 MTR

EMBROIDERED DUPATTA ON NET 240 MTR

EMBROIDERED DUPATTA PALLU LACE ON NET FABRIC

EMBROIDERED DAMAN PATCH ON NET FABRIC

EMBROIDERED CHEST AND DAMAN BUNCH 2 PCS ON NET FABRIC

WASHING INSTRUCTIONS


DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS

BEFORE CUTTING / STITCHING, FABRIC SHOULD BE SOAKED IN WATER (ALL COMPONENTS SEPARATELY) FOR 15 MINUTES

DO NOT KEEP WET FABRIC IN TWISTED FORM IN ORDER TO AVOID COPY MARKS | WASH COLOURED AND WHITE FABRICS SEPARATELY

IRON CLOTHES AT MODERATE TEMPERATURE | DO NOT DRY FABRIC IN DIRECT SUNLIGHT

D.NO.43001





GARMENT DETAILS:-

DIGITALLY PRINTED LAWN TOP - 2.50 MTR
 DYED PANT SEMILAWN - 2.50 MTR
 EMBROIDERED SLEEVES AND NECKLINE PATCH ON NET FABRIC
 EMBROIDERED DUPATTA ON NET 240 MTR
 EMBROIDERED DAMAN ON NET FABRIC

WASHING INSTRUCTIONS

DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
 BEFORE CUTTING / STITCHING , FABRIC SHOULD BE SOAKED IN WATER (ALL COMPONENTS SEPARATELY) FOR 15 MINUTES
 DO NOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS | WASH COLOURED AND WHITE FABRICS SEPARATELY
 IRON CLOTHES AT MODERATE TEMPERATURE | DO NOT DRY FABRIC IN DIRECT SUNLIGHT

D.NO.43006





D.NO.32005



D.NO.43005



GARMENT DETAILS:-

DIGITALLY PRINTED LAWN TOP - 2.50 MTR

DYED PANT SEMILAWN - 2.50 MTR

EMBROIDERED DUPATTA ON NET 240 MTR

EMBROIDERED DAMAN ON NET FABRIC

EMBROIDERED SLEEVES AND NECKLINE PATCH ON NET FABRIC

WASHING INSTRUCTIONS

DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS

BEFORE CUTTING / STITCHING, FABRIC SHOULD BE SOAKED IN WATER (ALL COMPONENTS SEPARATELY) FOR 15 MINUTES

DO NOT KEEP WET FABRIC IN TWISTED FORM IN ORDER TO AVOID COPY MARKS | WASH COLOURED AND WHITE FABRICS SEPARATELY

IRON CLOTHES AT MODERATE TEMPERATURE | DO NOT DRY FABRIC IN DIRECT SUNLIGHT


D.NO.43005





D.NO.54004






D.NO.43008



D.NO.43001






D.NO.41003



||D.NO.40002



D.NO.41004



D.NO.41006





D.NO.41002





D.NO.41005






D.NO
58001





Fepic[®]





D.NO.54005





Fepic[®]





D.NO.56006





Fepic[®]





Fepic®



Fepic®



● D.NO.57001 ●



Fepic®





Fepic[®]






D.NO
56001



Fepic[®]







D.NO.61004



Fepic[®]









D.NO
58002





D.NO.61002



D.NO.60002

Fepic®

C-1003 B





D.NO.61006



GARMENT DETAILS:-

SHIFLY EMBROIDERED LAWN TOP 1 METER WITH DAMAN LACE ATTACHED,
 DAMAN LACE ATTACHED,
 DYED PANT SEMI LAWN 2.5 MTR
 DIGITALLY PRINTED TUBBY SILK DUPATTA 24 MTR

WASHING INSTRUCTIONS

DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
 BEFORE CUTTING / STITCHING , FABRIC SHOULD BE SOAKED BE SOAKED IN WATER
 (ALL COMPONENTS SEPARATELY) FOR 15 MINUTES

DO NOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS |
 WASH COLOURED AND WHITE FABRICS SEPARATELY

IRON CLOTHES AT MODERATE TEMPERATURE | DO NOT DRY FABRIC IN DIRECT SUNLIGHT

C-1006



Fepic®



C-1003 A



GARMENT DETAILS:-

SHIFLY EMBROIDERED LAWN TOP 1 METER WITH DAMAN LACE ATTACHED,
 DAMAN LACE ATTACHED,
 DYED PANT SEMI LAWN 2.5 MTR
 DIGITALLY PRINTED TUBBY SILK DUPATTA 24 MTR

WASHING INSTRUCTIONS

DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
 BEFORE CUTTING / STITCHING , FABRIC SHOULD BE SOAKED BE SOAKED IN WATER
 (ALL COMPONENTS SEPARATELY) FOR 15 MINUTES
 DO NOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS |
 WASH COLOURED AND WHITE FABRICS SEPARATELY
 IRON CLOTHES AT MODERATE TEMPERATURE | DO NOT DRY FABRIC IN DIRECT SUNLIGHT

C-1005

