





DS-161 A

Top- FOX GEORGETTE EMBROIDERY
Bottom/Iner- SANTOON
Dupatta- NAZMEEN EMBROIDERY

WASHING INSTRUCTIONS
 DO NOT DRY AT THE END OF DRYING MACHINE OR HANG
 BEFORE DRYING IN A SHADY PLACE. SHOULD BE WASHED IN WATER
 FULLY COMPARTMENT TO PREVENT FROM DAMAGE
 DO NOT USE HOT IRON. IF PROTECTION IN PROTECTIVE BAG OF WASHING
 MACHINES SHOULD BE USED. WASHED IN WATER SHOULD BE USED
 WASHED IN WATER SHOULD BE USED. WASHED IN WATER SHOULD BE USED
 WASHED IN WATER SHOULD BE USED. WASHED IN WATER SHOULD BE USED



DS-161 B

Top- FOX GEORGETTE EMBROIDERY

Bottom/Iner- SANTOON

Dupatta- NAZMEEN EMBROIDERY

WASHING INSTRUCTIONS
 DO NOT DRY AT THE END OF DRY CLEANING OR HANG
 BEFORE DRYING. CLEANING AND WASHING SHOULD BE DONE IN COLD WATER.
 ALL COMPONENTS SHOULD BE WASHED SEPARATELY.
 DO NOT USE HOT IRON. IF PROTECTIVE COATING IS USED ON FABRIC,
 WASH WITH MILD SOAP AND WASH SEPARATELY.
 WASHING INSTRUCTIONS SHOULD BE FOLLOWED BY THE CUSTOMER.
 © 2018 DINSAA SUIT. ALL RIGHTS RESERVED.



DS-161 C

Top- FOX GEORGETTE EMBROIDERY
Bottom/Iner- SANTOON
Dupatta- NAZMEEN EMBROIDERY

WASHING INSTRUCTIONS
 DO NOT DRY AT THE END OF DRY CLEANING OR WASH
 BEFORE DRYING. DO NOT USE BLEACH OR HARSH DETERGENTS.
 ALL COMPONENTS SHOULD BE WASHED IN WATER.
 DO NOT USE HOT IRON. IRON WITH STEAM ON THE REVERSE SIDE OF FABRIC.
 WASH IN COLD OR WARM WATER.
 WASH INSEPARABLE AND WASH FABRIC SEPARATELY.
 WASH INSEPARABLE AND WASH FABRIC SEPARATELY.
 WASH INSEPARABLE AND WASH FABRIC SEPARATELY.



DS-161 D

Top- FOX GEORGETTE EMBROIDERY

Bottom/Iner- SANTOON

Dupatta- NAZMEEN EMBROIDERY

WASHING INSTRUCTIONS
 DO NOT DRY AT THE END OF DRY CLEANING OR HANG
 BEFORE DRYING. DO NOT WASH IN WARM WATER
 ALL COMPONENTS SHOULD BE WASHED IN WATER
 DO NOT USE HOT IRON. IF PROTECTIVE COATING IS USED ON FABRIC
 WASH IN WARM AND WET FABRIC. PRESS
 WASHING INSTRUCTIONS SHOULD BE FOLLOWED BY THE CUSTOMER
 IF THE WASHING INSTRUCTIONS ARE NOT FOLLOWED.



Top- FOX GEORGETTE EMBROIDERY
Bottom / Iner- SANTOON
Dupatta- NAZMEEN EMBROIDERY



DS-161-A



DS-161-B



DS-161-C



DS-161-D