

S

sheeshmahal®



#S-3160

**WASHING INSTRUCTIONS**  
DO NOT USE ANY TYPE OF BLEACH OR OTHER BLEACHING AGENTS  
BEFORE DYEING OR COLORING SHOULD BE DONE IN WATER  
ALL COMPONENTS SHOULD BE WASHED IN WATER  
DO NOT KEEP WET FABRIC IN DIRECT SUNLIGHT FOR 15 MINUTES  
DO NOT DRY IN DIRECT SUNLIGHT OR IN A DRYER  
IRON CLOTHES AT MODERATE TEMPERATURE DO NOT DRY FABRIC IN DIRECT SUNLIGHT  
(EXTRA LACE/EMBROIDERY AND ACCESSORIES ARE NOT INCLUDED)



S

sheeshmahal®



#S-3160

**WASHING INSTRUCTIONS**  
DO NOT USE ANY TYPE OF BLEACH OR OTHER BLEACHING AGENTS  
BEFORE DYEING OR COLORING SHOULD BE DONE IN WATER  
ALL COMPONENTS SHOULD BE WASHED IN WATER  
DO NOT KEEP ANY PARTS OF THE GARMENT FOR 15 MINUTES  
DO NOT KEEP ANY PARTS OF THE GARMENT IN DIRECT SUNLIGHT OR UNDER  
HIGH TEMPERATURE AND WASH SEPARATELY  
IRON CLOTHES AT MODERATE TEMPERATURE DO NOT DRY FABRIC IN DIRECT SUNLIGHT  
(EXTRA LACE/EMBROIDERY AND ACCESSORIES ARE NOT INCLUDED)




**S**  
sheeshmahal®



#S-3159

**WASHING INSTRUCTIONS**  
DO NOT USE ANY TYPE OF BLEACH OR OTHER BLEACHING CHEMICALS  
BEFORE DRYING CLOTHING FABRIC SHOULD BE CAREFULLY LOADED IN WETTER  
ALL COMPONENTS SEPARATELY FOR 15 MINUTES  
DO NOT USE HOT IRON. IN LIMITED CASES IN ORDER TO AVOID CUP MARKS  
HIGH-COLOURED AND WHITE FABRICS SEPARATELY  
IRON CLOTHES AT MODERATE TEMPERATURE DO NOT DRY FABRIC IN DIRECT SUNLIGHT  
(EXTRA LACE, HANGINGS AND ACCESSORIES ARE NOT INCLUDED)



**S**  
sheeshmahal®




#S-3162

**WASHING INSTRUCTIONS**  
DO NOT USE ANY TYPE OF BLEACH OR OTHER BLEACHING CHEMICALS  
BEFORE DRYING OR WASHING SHOULD BE CAREFULLY LOADED IN WATER  
ALL COMPONENTS SEPARATELY FOR 15 MINUTES  
DO NOT USE HOT WATER IN TRIMMED FIBER IN ORDER TO AVOID CUP MARKS  
HIGH-COLORED AND WHITE FABRICS SEPARATELY  
IRON CLOTHES AT MODERATE TEMPERATURE DO NOT DRY FABRIC IN DIRECT SUNLIGHT  
(EXTRA LACES/HANGINGS AND ACCESSORIES ARE NOT INCLUDED)





**S**  
sheeshmahal®



#S-3161

**WASHING INSTRUCTIONS**  
DO NOT USE ANY TYPE OF BLEACH OR OTHER BLEACHING AGENTS AS  
BEFORE DYEING COLORING AND FABRIC SHOULD BE SOAKED IN WATER  
ALL COMPONENTS SEPARATELY FOR 15 MINUTES  
DO NOT USE HOT WATER IN DRYING OR IN WASHING TO AVOID COLOR LOSS  
HIGH-COLORED AND WHITE FABRICS SEPARATELY  
IRON CLOTHES AT MODERATE TEMPERATURE DO NOT DRY FABRIC IN DIRECT SUNLIGHT  
(EXTRA LACE, HANGINGS AND ACCESSORIES ARE NOT INCLUDED)











#S-3159



#S-3160



#S-3161



#S-3162

