



DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING, 5TITIHING, FABRIC SHOULD BE SMOKED BE SOAKED IN WATER
(ALL COMPONENTS SEPARATELY) FOR 15 MINUTES
DO BOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS I
IRON CLOTHES AT MODRATE TEMPERATURE I DO NOT DRY FABRIC IN DIRECT SUNLIGHT
(EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED)











DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING, STITIHING, FABRIC SHOULD BE SMOKED BE SOAKED IN WATER
(ALL COMPONITS SEPARATELY) FOR 15 MINUTES
DO BOT KEEP WET FABBIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS 1
IRON CLOTHES AT MODRATE TEMPRETATURE 100 NOT DRY FABRIC; IN DIRECT SUNLIGHT
(EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED)











DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING, 5TITIHING, FABRIC SHOULD BE SMOKED BE SOAKED IN WATER
(ALL COMPONENTS SEPARATELY) FOR 15 MINUTES
DO BOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS I
IRON CLOTHES AT MODRATE TEMPERATURE I DO NOT DRY FABRIC IN DIRECT SUNLIGHT
(EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED)











DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING, STITIHING, FABRIC SHOULD BE SMOKED BE SOAKED IN WATER
(ALL COMPONITS SEPARATELY) FOR 15 MINUTES
DO BOT KEEP WET FABBIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS 1
IRON CLOTHES AT MODRATE TEMPRETATURE 100 NOT DRY FABRICIE IN DIRECT SUNLIGHT
(EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED)













