

القصر
AL QASR
THE NAME OF QUALITY
MA-161



القصر
AL QASR
THE NAME OF QUALITY
MA-161





READYMADE

MA-161

WASHING INSTRUCTIONS

DO NOT USE HOT WATER OR BLEACH OR OTHER DANGEROUS SUBSTANCES.
 BEFORE DRYING, STRETCHING, IRONING OR PRESSING, DO NOT LEAVE IN WATER.
 (ALL DIMENSIONS GIVEN IN CM OR INCHES).
 DO NOT KEEP HOT IRONING OR PRESSING IRON IN CONTACT TO AVOID COPIES MARKS.
 WASH COLORFUL AND WHITE FABRICS SEPARATELY.
 WASH CLOTHES AT MODERATE TEMPERATURE. DO NOT DRY FABRIC IN DIRECT SUNLIGHT.
 (CUTTING, SEWING, HANDMADE AND ACCESSORIES ARE NOT INCLUDED).





READYMADE

MA-161

WASHING INSTRUCTIONS
 DO NOT USE HOT WATER OR BLEACH OR OTHER DANGEROUS SUBSTANCES
 BEFORE DRYING, STARCHING, PRESSING OR IRONING DO NOT DRY IN SUNLIGHT
 (ALL DIMENSIONS GIVEN IN CM UNLESS OTHERWISE SPECIFIED)
 DO NOT KEEP HOT IRONS ON FABRIC FOR LONGER THAN 10 SECONDS TO AVOID SCORCHING
 (DO NOT USE DRY CLEANING AND DO NOT PRESS IN SUNLIGHT)
 (DO NOT USE DRY CLEANING AND DO NOT PRESS IN SUNLIGHT)
 (DO NOT USE DRY CLEANING AND DO NOT PRESS IN SUNLIGHT)



القصر
AL QASR
THE NAME OF QUALITY
MA-161



القصر
AL QASR
THE NAME OF QUALITY
MA-161





READYMADE

MA-161

WASHING INSTRUCTIONS

DO NOT USE HOT WATER OR BLEACH OR OTHER DANGEROUS SUBSTANCES.
 BEFORE DRYING, STRETCHING, IRONING OR PRESSING, DO NOT EXPOSE TO DIRECT SUNLIGHT.
 DO NOT KEEP HOT IRONS OR PRESSING IRONS IN CONTACT TO AVOID COPIES MARKS.
 WASH COLORFUL AND WHITE FABRICS SEPARATELY.
 WASH CLOTHES AT WASHING MACHINE OR DO NOT WASH IN DIRECT SUNLIGHT.
 (CUTTING, UNDOING AND RECONSTRUCTING ARE NOT PERMITTED.)









FABRICS DETAILS

TOP:- Heavy Fox Georgatte With Embroidery And Handwork

BOTTOM:-Heavy Dull Santoon

DUPATTA:- Heavy Fox Georgette With Embroidery Work



CARE INSTRUCTIONS

DRY CLEAN RECOMMENDED
DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
WASH & SOAK COLORED & WHITE FABRICS SEPARATELY
DO NOT OVER EXPOSE DAMP FABRIC TO STRONG SUNLIGHT
IRON AT MODERATE TEMPERATURE





القصر
AL QASR
THE NAME OF QUALITY



MA-161

WASHING INSTRUCTIONS

DO NOT USE ANY TYPE OF BLEACH OR OTHER BLEACHING AGENTS
BEFORE DYEING / STAINING. FABRIC SHOULD BE SOAKED IN WATER
(ALL COMPONENTS SEPARATELY) FOR 4 HOURS

DO NOT KEEP DYE FABRIC IN PASTED FORM IN ORDER TO AVOID COFFIN MARKS !
WASH COLOURED AND WHITE FABRICS SEPARATELY

IRON CLOTHES AT MODERATE TEMPERATURE ! DO NOT DRY FABRIC IN DIRECT SUNLIGHT
(EXTRA LACES, BOWTIES AND ACCESSORIES NOT INCLUDED)



القصر
AL QASR
THE NAME OF QUALITY
MA-161



