





DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING, STITHING, FABRIC SHOULD BE SMOKED BE SOAKED IN WATER
(ALL COMPONENTS SEPARATELY) FOR 18 MINUTES
DO BOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS I
IRON CLOTHES AT MODRATE TEMPERATURE I DO NOT DITY FABRIC IN DIRECT SUNLIGHT
(EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED.)







FABRIC DETAILS









DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING / STITHING, FABRIC SHOULD BE SMOKED BE SOAKED IN WATER
(ALL COMPONENT'S SEPARATELY) FOR 15 MINUTES
DO BOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS I
IRON CLOTHES AT MODRATE TEMPERATURE I DO NOT DRY FABRIC IN DIRECT SUNLIGHT
(EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED)







FABRIC DETAILS





TOP:- CAMBRIC COTTON DUP:- COSSMOS DIGITAL PRINT BOT:- CAMBRIC COTTON







5-222 A

5-222 B

5-222 C







DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING, STITHING, FABRIC SHOULD BE SMOKED BE SOAKED IN WATER
(ALL COMPONENTS SEPARATELY) FOR 18 MINUTES
DO BOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS I
IRON CLOTHES AT MODRATE TEMPERATURE I DO NOT DITY FABRIC IN DIRECT SUNLIGHT
(EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED.)







FABRIC DETAILS







DO NOT USE TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
BEFORE CUTTING / STITHING , FABRIC SHOULD BE SMOKED BE SOAKED IN WATER
(ALL COMPONENTS SEPARATELY) FOR 18 MINUTES
DO BOT KEEP WET FABRIC IN TWISTED FROM IN ORDER TO AVOID COPY MARKS I
RON CLOTHES AT MODRATE TEMPERATURE I DO NOT DITY FABRIC IN DIRECT SUNLIGHT
(EXTRA LACES, HANGINGS AND ACCESSORIES ARE NOT INDUDED.)







FABRIC DETAILS



