

القصر
AL QASR
THE NAME OF QUALITY
MA-342





✧ M.A-342 ✧

WASHING INSTRUCTIONS

DO NOT USE ANY TYPE OF BLEACH OR OTHER WHITENING CHEMICALS
SEMIE DYEING / STAINING: FABRIC SHOULD BE SOAKED IN WATER
(ALL COMPONENTS SEPARATELY) FOR 4 HOURS
DO NOT PUT ANY FABRIC IN TUMBLER DRYER TO AVOID OVER HEATING
WASH COLOURED AND WHITE FABRICS SEPARATELY
IRON CLOTHES AT MODERATE TEMPERATURE (DO NOT IRON FABRIC IN DIRECT SUNLIGHT
(SUNGLASSES, SHIRTS AND ACCESSORIES ARE NOT ALLOWED)





القصر
AL QASR
THE NAME OF QUALITY
MA-342





القصر
AL QASR
THE NAME OF QUALITY
MA-339



READYMADE

❖ M.A-342 ❖

WASHING INSTRUCTIONS
 DO NOT USE HOT WATER. DO NOT USE BLEACH OR OTHER CHEMICALS.
 WASHING: Turn inside out. Machine washable. Wash in cold or lukewarm water.
 DRY: Hang to dry. Do not iron. Do not dry clean.
 DO NOT USE HOT IRON. DO NOT USE BLEACH OR OTHER CHEMICALS.
 WASHING: Turn inside out. Machine washable. Wash in cold or lukewarm water.
 DRY: Hang to dry. Do not iron. Do not dry clean.



قصر
AL QASR
THE NAME OF QUALITY
MA-339





MA-339





FABRICS DETAILS

TOP :- HEAVY IMP SATIN WITH BEAUTIFUL EMBROIDERY WORK AND FULL CUT WORK

BOTTOM/FARSHI:- HEAVY IMP SATIN WITH EMBROIDERY WORK AND FULL CUTWORK

DUPATTA :- HEAVY ORGANZA WITH EMBROIDERY CUT WORK



MA-342



CARE INSTRUCTIONS

DRY CLEAN RECOMMENDED
DO NOT USE ANY TYPE OF BLEACH OR STAIN REMOVING CHEMICALS
WASH & SOAK COLORED & WHITE FABRICS SEPARATELY
DO NOT OVER EXPOSE DAMP FABRIC TO STRONG SUNLIGHT
IRON AT MODERATE TEMPERATURE

القصر
AL QASR
THE NAME OF QUALITY

MA-339



القصر
AL QASR
THE NAME OF QUALITY
MA-339





READYMADE

❖ **M.A-342** ❖

WASHING INSTRUCTIONS
 DO NOT USE HOT WATER. DO NOT USE BLEACH OR OTHER CHEMICALS.
 WASHING: Turn inside out. Machine wash on gentle cycle. Do not iron.
 DO NOT DRY. DO NOT Tumble Dry. Hang to dry. Do not iron.
 DO NOT IRON. DO NOT Tumble Dry. Hang to dry. Do not iron.
 DO NOT DRY. DO NOT Tumble Dry. Hang to dry. Do not iron.
 DO NOT IRON. DO NOT Tumble Dry. Hang to dry. Do not iron.





✧ M.A-342 ✧

WASHING INSTRUCTIONS

DO NOT USE ANY TYPE OF BLEACH OR OTHER WHITENING AGENTS
BEFORE DYEING. (STAINING, FADING SHOULD BE AVOIDED IN WATER
(ALL COMPONENTS COMPLETELY) FOR 4 HOURS
DO NOT WET FABRIC IN HOTTER THAN 100°F TO AVOID COPI-MAKING
WASH CLOTHES AND WHITE FABRICS SEPARATELY
IRON CLOTHES AT MODERATE TEMPERATURE (DO NOT WET FABRIC IN DIRECT SUNLIGHT
(SILK, LACE, JEWELLERY AND ACCESSORIES ARE NOT INCLUDED)





MA-339

